Sample Questions

Computer Engineering

Subject Name: Distributed Computing Semester: VIII

Multiple Choice Questions

| Choose the | correct option for following questions. All the Questions carry equal marks |
|------------|---|
| 1. | and are used to hide the access and location of the system. |
| Option A: | access transparency, location transparency. |
| Option B: | migration transparency, replication transparency |
| Option C: | network transparency, location transparency |
| Option D: | failure transparency, network transparency |
| 2. | The two popular remote object invocation models are |
| Option A: | RPC and RMI |
| Option B: | CORBA and RMI |
| Option C: | MOM and RPC |
| Option D: | MPI and MOM |
| 3. | In distributed systems, a logical clock is associated with |
| Option A: | each instruction |
| Option B: | each register |
| Option C: | each process |
| Option D: | none of the mentioned |
| 4. | Process transfer policy in Load-balancing algorithms is |
| Option A: | Determines how to exchange load information among nodes |
| Option B: | Determines to which node the transferable process should be sent |
| Option C: | Determines the total number of times a process can migrate |
| Option D: | Determines whether to execute a process locally or remotely |
| 5. | Client centric consistency model useful in applications where |
| Option A: | Data is static |
| Option B: | One client always updates data store |
| Option C: | Data updation is not required |
| Option D: | Data storage is not required |
| 6. | In distributed file system, file name does not reveal the file's |
| Option A: | Local name |
| Option B: | Global name |
| Option C: | Cache location |
| Option D: | Physical storage location |
| 7. | The Ricart&Agrawala distributed mutual exclusion algorithm is: |

| Option A: | More efficient and more fault tolerant than a centralized algorithm. |
|------------|---|
| Option B: | More efficient but less fault tolerant than a centralized algorithm. |
| Option C: | Less efficient but more fault tolerant than a centralized algorithm. |
| Option D: | Less efficient and less fault tolerant than a centralized algorithm. |
| Option B. | Less efficient and less fault tolerant than a contrainzed digorithm. |
| 8. | The kernel is of user threads. |
| Option A: | a part of |
| Option B: | the creator of |
| Option C: | unaware of |
| Option D: | aware of |
| Орион В. | aware or |
| 9. | What is stub? |
| Option A: | transmits the message to the server where the server side stub receives the message |
| option 71. | and invokes procedure on the server side |
| Option B: | Perform encryption and decryption |
| Option C: | Perform Routing operation |
| Option D: | Perform Retransmission of message |
| First | |
| 10. | In a distributed file system, is mapping between logical and physical |
| | objects. |
| Option A: | Client interfacing |
| Option B: | Naming |
| Option C: | Migration |
| Option D: | Heterogeneity |
| • | |
| 11. | RPC is an example of |
| Option A: | synchronous communication |
| Option B: | asynchronous communication |
| Option C: | persistent communication |
| Option D: | time independent operation |
| | |
| 12. | What is a remote object reference? |
| Option A: | The variables referenced by the Method Invocation |
| Option B: | An identifier for the skeleton referred by a client |
| Option C: | An identifier for the proxy referenced by a client |
| Option D: | An identifier for a remote object that is valid throughout a distributed system |
| | |
| 13. | In a distributed file system, is mapping between logical and physical |
| | objects. |
| Option A: | Client interfacing |
| Option B: | Naming |
| Option C: | Migration |
| Option D: | Heterogeneity |
| | |
| 14. | Concurrency transparency is |
| Option A: | Where users cannot tell where an object is physically located in the system |
| Option B: | Hide differences in data representation and how an object is accessed |
| Option C: | Hide that an object may be shared by several independent users |

| Option D: | Hide that an object is replicated |
|-----------|--|
| | |
| 15. | Client centric consistency model useful in applications where |
| Option A: | Data is static |
| Option B: | One client always updates data store |
| Option C: | Data updates not required in the local store |
| Option D: | Data storage is not required |
| | |
| 16. | The ring election algorithm works by |
| Option A: | Having all nodes in a ring of processors send a message to a coordinator who will elect the leader |
| Option B: | Sending a token around a set of nodes. Whoever has the token is the coordinator. |
| Option C: | Sending a message around all available nodes and choosing the first one on the resultant list |
| Option D: | Building a list of all live nodes and choosing the largest numbered node in the list |
| | |
| 17. | What is a stateless file server? |
| Option A: | It keeps tracks of states of different objects |
| Option B: | It maintains internally no state information at all |
| Option C: | It maintains only client information in them |
| Option D: | It maintains only client access information in them |
| | |
| 18. | In which file model, a new version of the file is created each time a change is made |
| | to the file contents and the old version is retained unchanged |
| Option A: | Unstructured files |
| Option B: | Structured files |
| Option C: | Immutable files |
| Option D: | Mutable files |
| 19. | The RicartAgrawala distributed mutual exclusion algorithm is: |
| | More efficient and more fault tolerant than a centralized algorithm. |
| Option A: | More efficient but less fault tolerant than a centralized algorithm. |
| Option B: | Less efficient but more fault tolerant than a centralized algorithm. |
| Option D: | Less efficient and less fault tolerant than a centralized algorithm. |
| Орион Б. | Less efficient and less fault tolerant than a centralized algorithm. |
| 20. | Which of the following is NOT a technique for achieving scalability |
| Option A: | Centralization |
| Option B: | Distribution |
| Option C: | Replication |
| Option D: | Caching |
| 21. | A layer which lies between an operating system and the applications running on it is called as - |
| Option A: | Firmware |
| Option B: | Hardware |
| Option C: | Software |
| Option D: | Middleware |
| | ı |

| 22. | Goals of Distributed system does not include- |
|------------|---|
| Option A: | Resource sharing |
| Option B: | Access to remote resources |
| Option C: | Sharing memory space |
| Option D: | Concurrent process execution |
| орион В. | Concurrent process execution |
| 23. | which of the following is not the commonly used semantics for ordered delivery of |
| | multicast messages- |
| Option A: | Absolute ordering |
| Option B: | Persistent ordering |
| Option C: | Consistent ordering |
| Option D: | Casual ordering |
| Spiroti 2. | Cucum crusting |
| 24. | The type of transparency that enables resources to be moved while in use without |
| | being noticed by users and application is- |
| Option A: | Location Transparency |
| Option B: | Migration Transparency |
| Option C: | Relocation Transparency |
| Option D: | Access Transparency |
| | |
| 25. | A paradigm of multiple autonomous computers, having a private memory, |
| | communicating through a computer network, is known as- |
| Option A: | Distributed computing |
| Option B: | Cloud computing |
| Option C: | Centralized computing |
| Option D: | Parallel computing |
| 1 | |
| 26. | Following is not the common mode of communication in Distributed system- |
| Option A: | RPC |
| Option B: | RMI |
| Option C: | Message Passing |
| Option D: | Shared memory |
| | |
| 27. | Following is not the physical clock synchronization algorithm- |
| Option A: | Lamport's Scalar Clock synchronization |
| Option B: | Christians clock synchronization |
| Option C: | Berkley clock synchronization |
| Option D: | Network time protocol |
| 20 | D' (1 (1M (1E 1) 41) (1) |
| 28. | Distributed Mutual Exclusion Algorithm does not use- |
| Option A: | Coordinator process |
| Option B: | Token |
| Option C: | Logical clock for event ordering |
| Option D: | Request and Reply message |
| 29. | Vector Timestamp Ordering Algorithm is an example of- |

| Option A: | Centralized Mutual Exclusion |
|-----------|---|
| Option B: | Distributed Mutual Exclusion |
| Option C: | |
| Option C: | Physical Clock Synchronization |
| Option D: | Logical Clock Synchronization |
| 20 | |
| 30. | What is fault tolerance in distributed Computing? |
| Option A: | Ability of system to continue functioning in the event of a complete failure. |
| Option B: | Ability of system to continue functioning in the event of a partial failure. |
| Option C: | Ability of system to continue functioning when system is properly working. |
| Option D: | Ability of distributed system to work in all conditions. |
| | |
| 31. | In Task Assignment Approach, we have to- |
| Option A: | Minimize IPC cost |
| Option B: | Maximize IPC cost |
| Option C: | Fix IPC cost |
| Option D: | Keep constant IPC cost |
| | |
| 32. | Backward error recovery requires- |
| Option A: | Grouping |
| Option B: | Assurance |
| Option C: | Check pointing |
| Option D: | Validation |
| | |
| 33. | Which of these consistency models does not use synchronization operations? |
| Option A: | Sequential |
| Option B: | Weak |
| Option C: | Release |
| Option D: | Entry |
| | |
| 34. | Which is not possible in distributed file system? |
| Option A: | File replication |
| Option B: | Migration |
| Option C: | Client interface |
| Option D: | Remote access |
| | |
| 35. | X.500 is a- |
| Option A: | Directory services |
| Option B: | Naming services |
| Option C: | Replication services |
| Option D: | Consistency services |
| Pron D. | |
| 36. | A DFS is executed as a part of- |
| Option A: | System specific program |
| Option B: | Operating system |
| Option C: | File system |
| Option C: | Application program |
| Орион D. | Application program |
| 27 | Dragges on the remote systems are identified by |
| 37. | Processes on the remote systems are identified by- |

| Option A: | Host ID |
|-----------|--|
| Option B: | Identifier |
| Option C: | Host name and identifier |
| Option D: | Process ID |
| | |
| 38. | The function of load-balancing algorithm is- |
| Option A: | It tries to balance the total system load by transparently transferring the workload from heavily loaded nodes to lightly loaded |
| Option B: | It helps the process to know the time by simply making a call to the operating system. |
| Option C: | allows a process to access named entity |
| Option D: | It synchronizes the clocks |
| | |
| 39. | A Multi-threaded Server has following threads- |
| Option A: | Dispatcher Thread |
| Option B: | Client Thread |
| Option C: | Worker Thread |
| Option D: | Client and Server Thread |
| | |
| 40. | Maekawa's Mutual Exclusion Algorithm is based on- |
| Option A: | Coordinator selection |
| Option B: | Token |
| Option C: | Voting |
| Option D: | Tickets |

Descriptive Questions

| What are the different architecture models of Distributed System? Explain with suitable |
|---|
| diagrams. |
| Write a short note on Raymond's Tree based Mutual exclusion algorithm. |
| What is RPC? Explain model of RPC. |
| What are different data centric consistency model? |
| Write a short note on code migration. |
| Explain Bully election algorithm with example. |
| Define fault tolerance. Describe different types of faults. |
| Explain Hadoop distributed file system. |
| Explain Bully election algorithm with an example and different scenarios. Use neat diagrams for |
| the same. |
| Draw and explain the general architecture of a Message-Queuing System |
| What are the features of Andrew File System? Define File service architecture of AFS? |
| Briefly describe the architecture and server operations of NFS. |
| Explain the different issues and steps involved in a good Load Balancing algorithm |
| Explain the Centralized algorithms for Mutual Exclusion in Distributed Systems. |
| Describe File caching schemes in brief. |
| What is the need for Code Migration? Explain the code migration issues in detail. |
| Define remote procedure call (RPC)? Describe the working of RPC in detail. |

What is an open distributed system and what benefits does openness provide?

Explain Cristian's algorithm for physical clock synchronization

Describe the role of stubs in Remote Procedure Calls.

Define fault tolerance. Describe the different types of faults.

What are the different architecture models of Distributed System? Explain one with a suitable diagram.

Write a short note on the advantages of code migration.

Explain Stream oriented communication with example.

Explain Berkeley physical clock algorithm

Explain different load estimation policies used by load balancing approach.

Differentiate between NOS, DOS and Middleware in the design of a distributed systems.

Differentiate between Data Centric and Client centric Consistency models with examples.

What are the steps involved in the execution of Maekawa's Algorithm for Mutual Exclusion

Write short note on - Group Communication.

What is replication in distributed system? Explain the advantages of replication.

Write short note on - Network File System (NFS)

Discuss the Bully algorithm with appropriate example. State its advantages and disadvantages.

What are the different model of distributed system? Explain.

How Monotonic Read consistency model is different from Read your Write consistency Model? Support your answer with suitable example.